



- [MTProxy GO](#)
- [v2ray](#)

MTProxy GO

Root

```
sudo -i
```



```
wget -N --no-check-certificate
https://github.com/whunt1/onekeymakemtg/raw/master/mtproxy_go.sh && chmod +x mtproxy_go.sh &&
bash mtproxy_go.sh
```



```
MTProxy-Go [v2.0.0]
---- Toyo & July | doubibackup.com/es5fj9se.html ----

0. [ ]

1. [ ] MTProxy
2. [ ] MTProxy
3. [ ] MTProxy

4. [ ] MTProxy
5. [ ] MTProxy
6. [ ] MTProxy

7. [ ] [ ]
8. [ ] [ ]
9. [ ] [ ]
10. [ ] [ ]
```

{}

[0-10]:1



[MTProxy !

[..

MTProxy [1-65535]

({ 443):

=====

: Port

=====

MTProxy 32[0-9][a-z][A-Z]

((TLS):

TLS[Y/n]

(Y):

TLS

((itunes.apple.com):

=====

: key

TLS : YES

=====

MTProxy TAGTAG32TAG @MTProxybot

():

NATIP 10. xx. xx. xx IPv4

(IPv4):

=====

NAT-IPv4 : IP

=====

NAT IPv6

(安装 IPv6):

=====

[NAT-IPv6 :

=====

[Y/n]

[安装] (安装 dd)

(Y):

=====

[: YES

=====

[安装] ..

[安装 iptables] ..

[安装 iptables] ..

[安装 iptables] ..

[安装] ..

[MTProxy] ..

[MTProxy] !



Mtproto Proxy

[IP

[Port

[Key

[tg: //proxy?server=IP&port=port&secret=key

[https: //t. me/proxy?server=ip&port=port&secret=key

TLS [YES

[dd] TLS

[TAG TAG]

v2ray

❏ root

```
sudo -i
```

❏ v2Ray

```
bash <(curl -s -L https://git.io/v2ray.sh)
```

❏❏❏❏ enter ❏❏❏❏

❏❏❏❏❏❏❏❏

```
----- V2Ray ❏❏❏ -----
```

```
❏❏ (Address) = IP
```

```
❏❏ (Port) = Port
```

```
❏❏ID (User ID / UUID) = ID
```

```
❏❏ID (Alter Id) = ID
```

```
❏❏❏ (Network) = tcp
```

```
❏❏❏ (header type) = none
```

```
----- END -----
```

❏ Telegram Proxy ❏❏❏❏

```
v2ray tg
```

❏❏❏❏❏❏

```
❏.. ❏❏❏ Telegram MTPROTO ... ❏❏❏❏❏❏❏❏ ^_^
```

```
❏❏❏ Telegram MTPROTO [ Y/N]
```

```
(❏❏ [N]): y
```

```
❏❏ Telegram MTPROTO ❏❏ [1-65535] ❏❏❏ V2Ray ❏❏❏
```

```
(❏❏❏: 22693):
```

```
Telegram MTPROTO ❏❏ = 22693
```

```
❏❏❏❏❏❏❏❏❏
```

```
❏❏❏ enter ❏❏❏
```

```
----- Telegram MTPROTO ❏❏❏ -----
```

```
❏❏ (Hostname) = IP
```

```
❏❏ (Port) = 22693
```

```
❏❏ (Secret) = key
```

```
Telegram ❏❏❏❏❏ = ❏❏❏❏❏❏
```

```
❏❏❏❏❏❏❏❏❏❏❏❏❏❏❏ Proxy ❏~~~
```

```
❏❏❏❏
```

v2Ray ❏❏❏❏

```
v2ray info ❏❏ V2Ray ❏❏❏
```

```
v2ray config ❏❏ V2Ray ❏❏
```

```
v2ray link ❏❏ V2Ray ❏❏❏❏❏
```

```
v2ray infolink ❏❏ V2Ray ❏❏❏❏❏
```

```
v2ray qr ❏❏ V2Ray ❏❏❏❏❏❏
```

```
v2ray ss ❏❏ Shadowsocks ❏❏
```

```
v2ray ssinfo [] Shadowsocks [][]  
v2ray ssqr [] Shadowsocks [][] []  
v2ray status [] V2Ray [][]  
v2ray start [] V2Ray  
v2ray stop [] V2Ray  
v2ray restart [] V2Ray  
v2ray log [] V2Ray [][]  
v2ray update [] V2Ray  
v2ray update.sh [] V2Ray [][]  
v2ray uninstall [] V2Ray
```

v2Ray [] [] [] [] []

```
V2Ray [] [] [] [] /etc/v2ray/config.json  
Caddy [] [] [] [] /etc/caddy/Caddyfile  
[] [] [] [] : /etc/v2ray/233blog_v2ray_backup.conf
```