





# nginx

nginx 

- [Nginx Conf !\[\]\(c8dce68b26731c7aa5915072fc9d68dd\_img.jpg\)](#)

# Nginx Conf

```
server {  
    listen 443 ssl http2;  
    listen [::]:443 ssl http2;  
    listen 80;  
    server_name   
  
    ssl_certificate SSL/cert.pem;  
    ssl_certificate_key SSL  
  
    add_header X-Frame-Options "SAMEORIGIN" always;  
    add_header X-XSS-Protection "1; mode=block" always;  
    add_header X-Content-Type-Options "nosniff" always;  
    add_header Referrer-Policy "no-referrer-when-downgrade" always;  
    add_header Content-Security-Policy "default-src * data: 'unsafe-eval' 'unsafe-inline' "  
always;  
    add_header Strict-Transport-Security "max-age=31536000; includeSubDomains; preload"  
always;  
  
    location / {  
        proxy_pass   
        proxy_connect_timeout 300s;  
        proxy_read_timeout 300s;  
        proxy_send_timeout 300s;  
        proxy_set_header    Host            $host:$proxy_port;  
        proxy_set_header    X-Real-IP       $remote_addr;  
        proxy_set_header    X-Forwarded-For $proxy_add_x_forwarded_for;  
        proxy_set_header    Via             "nginx";  
    }  
}
```



```
vim /etc/nginx/sites-enabled/nginx
```

■■■■■■■■

■■■■■■

```
systemctl reload nginx
```